

	1. Tailings Facility Name/Identifier/TSF Tailings Storage Facility	2. Location	3. Ownership	4. Status	5. Date of initial operation	6. Is the Facility currently operated or closed as per currently approved design?	7. Raising method	8. Current Maximum Height	9. Current Tailings Storage Impoundment Volume	10. Planned Tailings Storage Impoundment Volume in 5 years time.	11. Most recent Independent Expert Review and currently planned.	12. Do you have full and complete relevant engineering records including design, construction, operation, maintenance and/or closure.	13. What is your hazard categorisation of this facility, based on consequence of failure?	14. What guideline do you follow for the classification system?	15. Has this facility, at any point in its history, failed to be confirmed or certified as stable, or experienced notable stability concerns, as identified by an independent engineer (even if later certified as stable by the same or a different firm)?	16. Do you have internal/in house engineering specialist oversight of this facility? Or do you have external engineering support for this purpose?	17. Has a formal analysis of the downstream impact on communities, critical infrastructure in the event of catastrophic failure been undertaken and to reflect final conditions? If so, when did this assessment take place?	18. Is there a closure plan in place for this dam, and b) does it include long term monitoring?	19. Have you, or do you plan to assess your tailings facilities against the impact of more regular extreme weather events as a result of climate change, e.g. over the next two years?	20. Any other relevant information and supporting documentation. Please state if you have omitted any other exposure to tailings facilities through any joint ventures you may have.
1	BRAZIL - Serra Azul Mine - Serra Azul Dam	Lat 20°08'15"S Long 44°23'44"W	ArcelorMittal Brazil	Currently being decommissioned	1987	Yes, with added improvements	Upstream method	85 m	4.945 Mm ³	0.84 Mm ³	September 2024 and planned for September 2026	Yes, construction history is being reviewed and validated through new studies which are currently underway	Class III High potential	COPAM - DN 87/2005, Brazilian legislation	Yes, dam was closed in 2012 and stability was questioned in 2019. A check dam is under construction (Q4-2025). Decommissioning of the TSF could start after that date.	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, March 2019	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
2	BRAZIL - Serra Azul mine - Serra Azul Dry Stack	Lat 20°08'11"S Long 44°24'08"W	ArcelorMittal Brazil	Active	2012	Yes	Dry Stack	64 m	3.09 Mm ³	4 Mm ³	ITRB done in October 2025. Last auditor review (legal service) was done in December 2024.	Yes	Class II, Low Risk	366/1990/036/2014 - SUPRI - Brazilian Legislation	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2025	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
3	BRAZIL - Serra Azul mine - Serra Azul In-Pit	Lat 20°07'50"S Long 44°24'14"W	ArcelorMittal Brazil	Active	2015	Yes	In-pit TSF, no embankments	n/a - below Natural Ground Level	0.29 Mm ³	0 Mm ³ Used as temporary storage.	ITRB done in October 2025. Last auditor review (legal service) was done in December 2024.	N/A	N/A, below Natural Ground Level	N/A	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Exhausted Pit so not applicable	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
4	BRAZIL - Andrade mine - Co-disposal	Lat 19°47'20"S Long 43°10'28"W	ArcelorMittal Brazil	Active	2020	Yes, with modifications	Waste dump development	120 m	2.440 Mm ³ *Including Itabirite and tailings	2.6 Mm ³ Will stopped being used in 2026.	OHM5 Geotechnical Audit at Andrade Mine in June 2025.	Yes	Low risk	Based on WSRHC method developed by Hamley and Cuning (2017) for waste dumps	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party).	Yes in 2023, will be update in 2026.	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
5	CANADA - Mont Wright Mine - Hesse TSF	Lat 52°47'53.75"N Long 67°23'11.97"W	ArcelorMittal Mining Canada GP	Active	1981	Yes	8 embankments constructed as sidehill and valley-filled embankments. Coarse tailings is upstream raise and fine confinement is downstream raise embankments.	100 m (Dam Hesse)	756.6 Mm ³	Average 36.5 Mm ³ / year Total 182.5 Mm ³ / 5 years	2023, next planned October 2024	Yes, there are some original missing documents. However, consultant has reviewed available data. The available data allows to have knowledge of the full construction history.	Very high	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2022.	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
6	CANADA - Port-Carter Pellet Plant - Port Cartier TSF (inc. Upper basin, Lower basin and Park B)	Lat 50°2'37.18 N Long 66°47'20.16 W	ArcelorMittal Mining Canada GP	Active	1978	Yes	Sidehill embankment - 3 cells. 2 are used for tailings storage (Upper and lower basins) and 1 as sedimentation basin (Park B)	24 m (Dyke 3)	4.2 Mm ³	Upper and lower basin: 4.1 Mm ³ Deposition done in Upper basin but volume is: 150 000m ³ transferred every year to Parc C.	2023, next planned October 2024	Yes, there are some original missing documents. However, consultant has reviewed available data. The available data allows to have knowledge of the full construction history.	Very high	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2020, being updated for 2026.	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
7	CANADA - Port-Carter Pellet Plant - Parc C	Lat 50°02'27"N Long 66°47'05"W	ArcelorMittal Mining Canada GP	Active	2019	Yes	Hydraulic Dewatered Stacking (or Dry-Stack)	18.5 m	1 Mm ³	Dry storage from 2025 @ 2030: 750,000 m ³	2023, next planned October 2024	Yes, all construction report are available.	Very high	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2020, being updated for 2026.	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
8	CANADA - Sherman Mine TSF	Lat 47°4'41.81 N Long 79°51'29.88 W	ArcelorMittal Dofasco	Care and maintenance	1968	Yes	Impoundment (dams made of waste rock and tailings with filters)	30 m (Dam 1)	35 Mm ³	35 Mm ³	Most recent done in May 2022 (field investigation and stability analysis).	No, but external consultant, has reviewed available data and has completed a geotechnical field investigation (May 2022).	Significant (Dams 2-4 and E2) Low (Dams 1 and 5-8)	Canadian Dam Association	No	Yes for both.	No, will be part of closure plan.	Yes and No (ongoing works).	Yes, informing further works.	A Dam safety review is planned. Site has regular dam safety inspections.
9	INDIA - Sankari TSF	Lat 21°44'06.16"N Long 85°27'22.13"E	ArcelorMittal Nippon Steel India	Under construction	2026	Not applicable	Cross-valley embankment with downstream raise	45 m (once finished)	0 Mm ³	2.5 Mm ³	2024, Design review currently underway	Yes	Extreme	ANCOLD	N/A	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party).	Yes, 2023	No, planned for 2026	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.

	1. Tailings Facility Name/Identifier TSF, Tailings Storage Facility	2. Location	3. Ownership	4. Status	5. Date of initial operation	6. Is the facility currently operated or closed as per currently approved design?	7. Raising method	8. Current Maximum Height	9. Current Tailings Storage Impoundment Volume	10. Planned Tailings Storage Impoundment Volume in 5 years time.	11. Most recent Independent Expert Review and currently planned.	12. Do you have full and complete relevant engineering records including design, construction, operation, maintenance and/or closure.	13. What is your hazard categorisation of this facility, based on consequence of failure?	14. What guideline do you follow for the classification system?	15. Has this facility, at any point in its history, failed to be confirmed or certified as stable, or experienced notable stability concerns, as identified by an independent engineer (even if later certified as stable by the same or a different firm)?	16. Do you have internal/in house engineering specialist oversight of this facility? Do you have external engineering support for this purpose?	17. Has a formal analysis of the downstream governance and stewardship model been undertaken and to reflect final conditions? If so, when did this assessment take place?	18. Is there a) a closure plan in place for this dam, and b) does it include long term monitoring?	19. Have you, or do you plan to assess your tailings facilities against the impact of more regular extreme weather events as a result of climate change, e.g. over the next two years?	20. Any other relevant information and supporting documentation. Please state if you have omitted any other exposure to tailings facilities through any joint ventures you may have.
10	MEXICO - Las Truchas mine - TSF1	Lat 18° 2'56.05"N Long 102°20'27.02"W	ArcelorMittal las Truchas, S.A. de C.V.	Under remediation for closure (since 2020)	1975	Yes, with added improvements	Downstream, valley-filled embankment	43 m	15.5 Mm ³	15.5 Mm ³	Last ITRB February 2025	Yes	Very high	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2020	Yes and Yes	Yes, report expected January 2026.	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
11	MEXICO - Las Truchas Mine - Volcán In-pit	Lat 18°04'28"N Long 102°22'05"W	ArcelorMittal las Truchas, S.A. de C.V.	Active	2018	Yes	In-pit TSF, no embankments	n/a - below Natural Ground Level	6.65 Mm ³	12.05 Mm ³ Deposition expected until 2027	Last ITRB February 2025	Yes	N/A	N/A	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Exhausted Pit so not applicable	Yes and Yes	Yes, report expected January 2026.	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
12	MEXICO - Las Truchas Mine - Santa Clara In-pit	Lat 18°03'43"N Long 102°21'37"W	ArcelorMittal las Truchas, S.A. de C.V.	Active	2021	Yes	In-pit TSF, no embankments	n/a - below Natural Ground Level	4.2 Mm ³	4.2 Mm ³	Last ITRB February 2025	Yes	N/A	N/A	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Exhausted Pit so not applicable	Yes and Yes	Yes, report expected January 2026.	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
13	MEXICO - Pena Colorado Mine - Guasimas TSF	Lat 19°21'6.74"N Long 104° 4'38.84"W	Consortio Minero Benito Juárez Peña Colorado Joint venture company between ArcelorMittal and Ternium.	Under remediation for closure (since 2016)	1975	Yes, with added improvements	A valley-filled embankment with modified construction methods	55 m	54.5 Mm ³	54.5 Mm ³	2026	Yes	Extreme	Canadian Dam Association	Yes, due to legislative changes the dam has undergone additional physical modifications as toe buttress to meet International Standards, Completion Q4-2025.	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party)	Yes, 2020	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
14	MEXICO - Pena Colorado Mine - Arzayanal TSF - Basin 1	Lat 19°17'35.02"N Long 104° 8'22.76"W	Consortio Minero Benito Juárez Peña Colorado Joint venture company between ArcelorMittal and Ternium.	Active	2013	Yes, with added improvements	Upper cell, 11 valley-filled downstream embankments and 4 upstream embankments	89 m (embankment #4)	24 Mm ³	Deposition is expected until end of 2024. Total volume will be 27 Mm ³	2026	Yes	Extreme	Canadian Dam Association	Yes, major modifications (buttress) were done and now compliant with standards.	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party)	Yes, 2020	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
15	MEXICO - Pena Colorado Mine - Arzayanal TSF - Basin 2	Lat 19°17'39.86"N Long 104° 8'33.06"W	Consortio Minero Benito Juárez Peña Colorado Joint venture company between ArcelorMittal and Ternium.	Active	2018		Lower cell, Downstream, 8 valley-filled embankments	62.4 m (embankment 6)	21.5 Mm ³	Deposition is expected until end of 2024. Total volume will be 23 Mm ³	2026	Yes	Extreme	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2020	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
16	MEXICO - Pena Colorado Mine - ACIP/ TSF3 (Dry stack)	Lat 19°17'10.08" N Long 104°07'48.34" W	Consortio Minero Benito Juárez Peña Colorado Joint venture company between ArcelorMittal and Ternium.	In construction	2025	N/A	Dry-stack	0 m	0 Mm ³	For the period 2025 to 2029, the expected volume is 29 Mm ³	N/A	N/A	Significant	Canadian Dam Association	Not applicable.	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party).	Yes, 2020	In preparation.	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
17	MEXICO - Pena Colorado Mine - Temporary In-pit Storage	Lat 19°22'27.23" N Long 104°6'18.82" W	Consortio Minero Benito Juárez Peña Colorado Joint venture company between ArcelorMittal and Ternium.	Active	2025	Yes	In-pit deposition, no embankment	n/a - below Natural Ground Level	3.5 Mm ³	Deposition is expected in 2026 until Filtration plant is fully commissioned. Maximum volume will be 6.6 Mm ³ .	2026	Yes	N/A	N/A	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	In Pit so not applicable	Yes and Yes (Tailings will be removed and process through Filter plant).	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
18	MEXICO - San Jose Mine - Waste dump #2	Lat 24°38'40.16"N Long 107° 6'23.15"W	ArcelorMittal Mexico	Care and maintenance	2019	No, Care and maintenance	Dry-stack (co-disposal with waste rock)	100m	12.3Mm ³	12.3Mm ³	Most recent: None Planned: None	No	Not applicable.	Not applicable.	No	Yes for both.	Not applicable.	Yes and Yes	No	

	1. Tailings Facility Name/Identifier TSF/Tailings Storage Facility	2. Location	3. Ownership	4. Status	5. Date of initial operation	6. Is the facility currently operated or closed as per currently approved design?	7. Raising method	8. Current Maximum Height	9. Current Tailings Storage Impoundment Volume	10. Planned Tailings Storage Impoundment Volume in 5 years time.	11. Most recent independent Expert Review and currently planned.	12. Do you have full and complete relevant engineering records including design, construction, operation, maintenance and/or closure.	13. What is your hazard categorisation of this facility, based on consequence of failure?	14. What guideline do you follow for the classification system?	15. Has this facility, at any point in its history, failed to be confirmed or certified as stable, or experienced notable stability concerns, as identified by an independent engineer (even if later certified as stable by the same or a different firm).	16. Do you have internal/in house engineering specialist oversight of this facility? Or do you have external engineering support for this purpose?	17. Has a formal analysis of the downstream effects of common failures, systems and catastrophic failure been undertaken and to reflect final conditions? If so, when did this assessment take place?	18. Is there a) a closure plan in place for this dam, and b) does it include long term monitoring?	19. Have you, or do you plan to assess your tailings facilities against the impact of more regular extreme weather events as a result of climate change, e.g. over the next two years?	20. Any other relevant information and supporting documentation. Please state if you have omitted any other exposure to tailings facilities through any joint ventures you may have.
19	MEXICO - Sonora plant Cells 1 to 6	Lat 27°22'19.65"N Long 109°46'0.58"W	ArcelorMittal Mexico	Care and maintenance	2008	No, Care and maintenance	Upstream (stacking dry material over wet material, Cells are lined with no drainage)	15m	4.1Mm ³	4.1Mm ³	Most recent: None Planned: None	Cell 3-6 design, construction, operation Cell 1-2 design, construction, operation and closure.	Haven't been done yet, will be part of closure plan.	No official hazard classification completed yet	No	Yes for both.	No, will be part of closure plan.	Yes and No (informing further works).	No	Dam safety inspections are planned.
20	MEXICO - El Volcan mine - TSF (Waste dump)	Lat 27°44'05.98"N Long 109°18'16.66"W	ArcelorMittal Mexico	Care and maintenance	2007	No, Care and maintenance	Dry-stack (co-disposal with waste rock)	115m	36.7Mm ³	36.7Mm ³	Most recent: None Planned: None	Yes for Operation, maintenance & closure	Planned for 2025	No official hazard classification completed yet	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party).	Not applicable.	Yes and yes	No	
21	UKRAINE - Kryyyi Rih Tailings Facility - Myra	Lat 47°49'29.65"N Long 33°24'32.03"E	ArcelorMittal Kryyyi Rih	Active	1976	Yes	Paddock dam with modified construction methods	88 m	2.7 Mm ³ to level 165.0 m	3.1 Mm ³	Last audit done in April 2021.	Yes	Extreme	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2019	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
22	UKRAINE - Kryyyi Rih Tailings Facility - Kartak	Lat 47°47'50.84"N Long 33°22'29.77"E	Arcelor Mittal Kryyyi Rih	Active	1971	Yes	Paddock dam with modified construction methods	108 m	4.59 Mm ³ for level 176.0 m	5.99 Mm ³	Last audit done in April 2021.	Yes, construction history is being reviewed and validated through new studies which are currently underway	Extreme	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2019	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
23	UKRAINE - Kryyyi Rih Tailings Facility - Centralnoye	Lat 47°49'37.91"N Long 33°23'40.30"E	Arcelor Mittal Kryyyi Rih	Inactive	2018	Yes	Upstream method	25 m	2.2 Mm ³ for level 110.0 m	2.2 m ³	Last audit done in June 2019	Yes	High	Canadian Dam Association	No	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2023	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
24	UKRAINE - Kryyyi Rih Tailings Facility - Kartak 3	Lat 47°46'42.7"N Long 33°21'49"E	Arcelor Mittal Kryyyi Rih	Active	First stage: 2024 Second stage: 2025	Not applicable.	Starter embankment in place. First 2 raises are using upstream method and planned to move to centerline construction after.	12 m	5.5 Mm ³ for level 100.0 m	29.4 Mm ³	Last audit done in October 2021	N/A	Extreme	Canadian Dam Association	Not applicable.	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2023	No, planned for 2026	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
25	LIBERIA - Tokadeh mine - Wet TSF	Lat 7°28'01"N Long 8°38'31"W	ArcelorMittal Liberia (AML)	In construction	2025	Not applicable.	Single stage starter dam. If it needs to be raised, would be centerline or downstream.	45m Wet TSF will be subsided in the MWTSF by year 6 to 10.	0 Mm ³	10.9 Mm ³ Will be used from 2025 to 2028 (3 years).	Planned in 2026	Yes, both for design and construction.	Very High	Canadian Dam Association	Not applicable.	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2022	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
26	LIBERIA - Tokadeh Mine - MWTSF (Codiposal)	Lat 7°27'19"N Long 8°38'31"W	ArcelorMittal Liberia (AML)	In design	2027	Not applicable.	Dry co-disposal	45 m	0 Mm ³	29.562 Mm ³	Planned in 2027	Yes, for design.	Moderate to Low	AML standard (Mine Waste dumps)	Not applicable.	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2024	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.
27	SOUTH-AFRICA - Thabazimbe mine - Cells 1 to 4	Lat 24°37'0.38.85+S Long 27°23'46.61+E	Thabazimbe Iron Ore Mine - A fully owned subsidiary of ArcelorMittal South Africa	TSF 1 is dormant TSFs 2&4 are operational TSF 3 will be recommissioned in 2026	1977	Yes	Paddock type facility consisting of four cells. Upstream wall construction.	4 dams with heights ranging from 11 m to 36 m.	5.697 Mm ³	5.966 Mm ³	2023, next planned 2027	Yes	Very High	GISTM	Yes, correctives measures were undertaken and operation were restarted once FoS were above 1.5	Yes for both, current governance and stewardship model provides 3 levels of auditing (internal, external and 3rd Party). An EOR is appointed for this facility.	Yes, 2023	Yes and Yes	Yes	Annual Dam Audits carried out as part of current governance and stewardship model highlighting additional studies/measures to be implemented to address/ reduce risk.